

Puromet™ MTA8500PP

Polyacrylic Gel, Strong Base Anion
Resin, Chloride form, Packed Bed
Grade

PRINCIPAL APPLICATIONS

- Rinse water demineralization and recycling

ADVANTAGES

- Efficient regeneration
- Excellent resistance to organic fouling

SYSTEMS

- Packed Bed Systems

TYPICAL PACKAGING

- 1 ft³ Sack
- 25 L Sack
- 5 ft³ Drum (Fiber)
- 1 m³ Supersack
- 42 ft³ Supersack

TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

Polymer Structure	Gel polyacrylic crosslinked with divinylbenzene
Appearance	Spherical Beads
Functional Group	Quaternary Ammonium
Ionic Form	Cl ⁻ form
Total Capacity	1.25 eq/L (27.3 Kgr/ft ³) (Cl ⁻ form)
Moisture Retention	57 - 62 %
Mean Diameter	750 ± 100 µm
Uniformity Coefficient	1.2 - 1.4
Irreversible Swelling (max.)	10 %
Reversible Swelling, Cl ⁻ → OH ⁻ (max.)	15 %
Specific Gravity	1.09
Shipping Weight (approx.)	680 - 730 g/L (42.5 - 45.6 lb/ft ³)
Temperature Limit	35 °C (95.0 °F) (OH ⁻ form)



Americas
T +1 610 668 9090
F +1 610 668 8139
americas@purolite.com

Europe
T +44 1443 229334
F +44 1443 227073
europe@purolite.com

Asia Pacific
T +86 571 876 31382
F +86 571 876 31385
asiapacific@purolite.com