

# Microlite® MBS12/9231

Powder, Cation / Anion, Hydrogen form, Hydroxide form

## PRINCIPAL APPLICATIONS

- Demineralization - Sugar solutions
- Decolorization - Sugar Solutions
- Food and beverage processing
- Precoat – diatomaceous earth pressure filters
- Ash polishing without sucrose inversion
- Color polishing without sucrose inversion

## ADVANTAGES

- Premixed
- Use with existing processes
- Requires no additional equipment purchase
- Can be added to a process syrup tank

## TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

Polymer Structure	Crosslinked polymer
Ionic Form	H <sup>+</sup> /OH <sup>-</sup>
Dry Weight Capacity (min.)	2.3 eq / dry kg
Particle Size Range	20 - 200 µm
< 20 µm (max.)	5 %
Moisture Retention	65 %

Purolite, an Ecolab company, is a leading manufacturer of quality ion exchange, catalyst, adsorbent and specialty high-performance resins with global sales support.



## We're ready to solve your process challenges.

For further information on Purolite products and services, visit [www.purolite.com](http://www.purolite.com) or contact us at the addresses below.

**Americas**  
[americas@purolite.com](mailto:americas@purolite.com)

**Asia Pacific**  
[asiapacific@purolite.com](mailto:asiapacific@purolite.com)

**EMEA**  
[emea@purolite.com](mailto:emea@purolite.com)

The statements, technical information and recommendations contained herein are believed to be accurate as of the date hereof. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Purolite expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. Nothing contained herein constitutes a license to practice under any patent and it should not be construed as an inducement to infringe any patent and the user is advised to take appropriate steps to be sure that any proposed use of the product will not result in patent infringement.